

Appendix C: Summary of Representations made on the focussed consultation of the Pulborough Neighbourhood Development Plan (PNDP) regarding water neutrality.

- 1. This document provides a summary of the representations submitted for the focussed consultation PNDP held between **27 August 2024 to 8 October 2024** regarding the introduction of water neutrality measures to the Pulborough Neighbourhood Development Plan (PNDP) to ensure the Pulborough Neighbourhood Plan is compliant with the Conservation of Habitats and Species Regulations 2017 (as amended).
- 2. Set out below is a summary of the issues raised in the representations.

Ref Number	Full Name	Policy	Support/Objection /Comment	Summary of Comments	Response
PUL1	Surrey County Council	Water Neutrality	No further comment	n/a	No further action required.
PUL2	Rob Aylott	n/a	Comments	Plan states that to be an identified site it must satisfy Water Neutrality but gives no evidence as to how this can be achieved. Also states that commercial/industrial sites have greater difficulty achieving Water Neutrality with no evidence to back this up.	The Council has worked with Southern Water, Natural England, Crawley Council and Chichester Council to develop a wider strategic solution to water neutrality. The policy-led solution is supported by Natural England and called Part C and is available to view on the Council's website. https://www.horsham.gov.uk/data/assets/pdf_file/0004/12039_7/EYP-JBAU-XX-XX-RP-EN-0004-A1-C02-

					Water Neutrality Assessment P
					art C.pdf
PUL3	Environment Agency	Water Neutrality & alignment with Strategic Policy 9	Support	Support of the policy and other areas also proposing the same	No further action required.
PUL4	Historic England	n/a	Comment	General advice and guidance for the development of the neighbourhood plan with regard to the historic environment and area's heritage assets	No further action required.
PUL5	National Highways	n/a	Comment	No Comments to Raise	No further action required.
PUL6	West Sussex County Council	n/a	Comment	No Comments to Raise	No further action required.
PUL7	Henry Adams	Policy 1, 6, and 16	Support	Support policy 1 and 6 relating to 26 houses at land at Highfields, natural residential infill location, and no known impediments to development at the site. In relation to policies 6 and 16 support enabling off-setting, or if not required, utilising no more than 110 ltrs of mains water per person per day.	No further action required.
PUL8	South Downs National Park	Policy 16 Policy 2,3,4,5a,5b,6,7 ,8,9,13	Comments	The Authority requests that a similar criterion (water neutrality) is added to NDP Policy 9 (Pulborough Garden Centre, Stopham Road) as any development to intensify or extend the existing garden	Added to Policy 9 as criterion viii: All development within the Sussex North Water Resource Zone (WRZ) will need to demonstrate water neutrality

		1	1		
				centre, and the facilities of its	through water efficient design
				ancillary uses, will need to	and offsetting of any net
				demonstrate water neutrality.	<u>additional water use of the</u>
					<u>development. All proposals</u>
					should look to be compliant with
					the Horsham Strategic Policy 9:
					Water Neutrality - Horsham
					District Local Plan (2023-2040).
					The additional criterion has been
					added to ensure compliance with
					the Conservation of Habitats and
					Species Regulations 2017 (as
					amended) and to implement one
					of the recommendations as
					advised in the Appropriate
					Assessment (AECOM June 2024)
				Support is given to Policy 16:	Noted.
				Water Neutrality and the SDNPA	
				acknowledge water neutrality is	
				an important cross boundary	
				issues for all affected LPAs across	
				the Water Resource Zone North.	
PUL9	Southern	Comment.	Support with	Support the policy with amended	Agreed change for the purpose of
013	Water	Comment.	modifications	wording to 7.2 around the supply	clarification to reflect the fact
	VVater		Inodifications	of the Sussex north WRZ	that Sussex North WRZ is not
				of the sussex horth witz	wholly supplied by groundwater
					(it is also supplied by surface
					water abstracted from two
					separate locations.

					4.68 Horsham District lies within the Sussex North Water Resource Zone (WRZ). This WRZ is supplied from groundwater abstraction, from the Folkestone bed of the Lower Greensand/Wealden Greensand semi-confined aquifer, on the River Arun, close to Pulborough.
					Recommendation
					4.68 Horsham District lies within the Sussex North Water Resource Zone (WRZ). This WRZ is partly supplied from groundwater abstraction, from the Folkestone bed of the Lower Greensand/Wealden Greensand semi-confined aquifer, on the River Arun, close to Pulborough.
PUL10	Natural England	General	No comment on Water Neutrality Policy or HRA.	Standing Advice Given on Biodiversity, habitats, protected landscapes and green infrastructure provision.	No further action required.